



O ORIGINI

Un patto in simbiosi con la natura. La pietra, origine e prima istanza, si esprime nella sua forma più contemporanea per vivere gli spazi in totale immersione nell'universo naturale. Un dialogo vivo tra estetica green e personalità.

It's a pact made in symbiosis with nature. The stone, origin and first instance, express itself in its most contemporary form. Settings are completely immersed in a natural universe. An intense dialogue between green aesthetic and personality.



M
O

FLOOR
Gris Royal 100x100

ORIGINI



FLOOR
Gris Royal 100x100

WALL
Crux Grey 40x80

COUNTER
Crux White 80x80





M
O

ORIGINI

WALL
Bolgheri 50x100
Age Stone 100x100

FLOOR
Gris Royal *Outdoor* 80x80



FLOOR
Age Stone 100x100



WALL
Rivestimento strutturato
Bolgheri 50x150




FLOOR
Crux Grey 100x100

ORIGINI

ORIGINI

COLLECTION



5 COLORI_COLORS / 7 + 1 FORMATI_SIZES
2 SPESSORI_THICKNESSES / 2 SUPERFICI_SURFACES

AGE STONE



V3

SPESSORE

Thickness . Épaisseur . Stärke . Espesor . Толщина . 厚度

9 MM – 20 MM

SUPERFICI

Natural surfaces . Surfaces naturelles . Natürliche Oberflächen .
Superficies naturales . Натуральная поверхность . 天然表面

R10 GRUPPO B (INDOOR)

R11 GRUPPO B (OUTDOOR)




73520
80x80



73510
40x80

73550
OUTDOOR 20 MM



73540
100x100



73530
50x100



73590
60x120



73580
60x60



73570
30x60

GRIS ROYAL



V3

SPESSORE

Thickness . Épaisseur . Stärke . Espesor . Толщина . 厚度

9 MM – 20 MM

SUPERFICI

Natural surfaces . Surfaces naturelles . Natürliche Oberflächen .
Superficies naturales . Натуральная поверхность . 天然表面

R10 GRUPPO B (INDOOR)

R11 GRUPPO B (OUTDOOR)



73524
80x80



73514
40x80

73554
OUTDOOR 20 MM

73704
OUTDOOR R11



73544
100x100




73534
50x100



73594
60x120



73584
60x60



73574
30x60

CRUX GREY



V4

SPESSORE

Thickness . Épaisseur . Stärke . Espesor . Толщина . 厚度

9 MM


SUPERFICI

Natural surfaces . Surfaces naturelles . Natürliche Oberflächen .
Superficies naturales . Натуральная поверхность . 天然表面

R10 GRUPPO B (INDOOR)




73521
80x80



73511
40x80



73541
100x100




73531
50x100



73591
60x120



73581
60x60



73571
30x60

CRUX WHITE



V3

SPESSORE

Thickness . Épaisseur . Stärke . Espesor . Толщина . 厚度

9 MM

SUPERFICI

Natural surfaces . Surfaces naturelles . Natürliche Oberflächen .
Superficies naturales . Натуральная поверхность . 天然表面

R10 GRUPPO B (INDOOR)

R11 GRUPPO B (OUTDOOR)



73522
80x80



73512
40x80

73702
OUTDOOR R11



73542
100x100




73532
50x100



73592
60x120



73582
60x60



73572
30x60

BOLGHERI



V3

SPESSORE

Thickness . Épaisseur . Stärke . Espesor . Толщина . 厚度

9 MM

SUPERFICI

Natural surfaces . Surfaces naturelles . Natürliche Oberflächen .
Superficies naturales . Натуральная поверхность . 天然表面

R10 GRUPPO B (INDOOR)
R11 GRUPPO B (OUTDOOR)



73523
80x80



73513
40x80

73703
OUTDOOR R11



73543
100x100



73533
50x100



73593
60x120



73583
60x60



73573
30x60

RIVESTIMENTO STRUTTURATO



Relief structure . Structure en relief . Reliefstruktur .
Estructura en relieve . Рельефная структура . 浮凸结构



SPESSORE


Thickness . Épaisseur . Stärke . Espesor . Толщина . 厚度

8,5 MM

FORMATI

Sizes . Formats . Formate . Formatos . Форматы . 规格


50x150



73564
GRIS ROYAL



73561
CRUX GREY



73562
CRUX WHITE



73563
BOLGHERI

RESISTENZA E SICUREZZA

Strength and safety . Resistance et sécurité . Beständigkeit und Sicherheit . Resistencia y seguridad . Сопротивление и безопасность . 抗力及安全性



GIARDINI
GARDENS
JARDINS
GÄRTEN
JARDINES
Сады
花园




TERRAZZE
PATIOS AND
TERRACE
TERRASSES
TERRASSEN
TERRAZAS
Террасы
台阶



ARREDO URBANO
STREET FURNISHING
AMEUBLEMENT URBAIN
STADTMOBILIAR
EL MOBILIARIO URBANO



PISCINE E ZONE BALNEARI
SWIMMING-POOLS AND BATHING AREAS
PISCINES ET ZONES BALNÉAIRES
SCHWIMMBECKEN UND STRANDZONEN
PISCINAS Y ÁREAS DE BAÑO
Бассейны и зоны купания
泳池及海水浴场



BAR E RISTORANTI
BARS AND RESTAURANTS
BARS ET RESTAURANTS
BARS UND RESTAURANTS
BARS Y RESTAURANTES
Бары и рестораны
酒吧及餐厅

PAVIMENTI PER ESTERNO - Soluzioni di posa

Outdoor laying solutions . Possibilités de montage pour sol d'extérieur . Verlegesysteme für Terrassenplatten . Soluciones de colocación para suelo exterior . Варианты для наружной укладки пола . 户外地面的铺贴解决方案



POSA A COLLA SU MASSETTO
Laying on screed with adhesive
Pose à colle traditionnelle
Traditionelle Verlegung auf Estrich
Colocación con cola sobre solera
Укладка на стяжку с использованием клея
在我平层上用胶铺



POSA A SECCO SU ERBA
Dry laying on grass
Pose à sec sur herbe
Trockene Verlegung auf Gras
Colocación en seco sobre hierba
Прямая укладка на траву
在草地上干铺




POSA A SECCO SU GHIAIA O SABBIA
Installation on gravel or sand
Pose à sec sur le gravier/le sable
Trockene Verlegung auf Kies und Sand
Colocación en seco sobre gravilla
Прямая укладка на гальку и песок
在砾石及沙子上干铺



POSA SOPRAELEVATA
Laying as raised paving
Pose surélevée
Trockene Verlegung auf Stützen
Colocación sobreelevada
Укладка фальшполов
架高铺贴

PEZZI SPECIALI

Floor special pieces and trims . Pieces especiales sol . Spezial bodenfliesen . Piezas especiales para pavimento . Изделия специальной формы для пола . 地面用特种件

	 Mosaico T36 33,3x33,3	 Mosaico spaccato 32,5x32,5	 Battiscopa molato 8x100	 Gradone 120x32x4	 Gradone angolare 120x32x4	 Elemento ad "L" 80x32x4	 Elemento ad "L" 80x32x4 mm 20	 Gradone torelo 80x32x4 mm 20	 Profilo in ferro
AGE STONE	73770	73780	ML73540	73710	Sx 73720 Dx 73730	73740	73760	73750	73601 2x100 73600 1x100
BOLGHERI	73773	73783	ML73543	73713	Sx 73723 Dx 73733	73743	-	-	
CRUX GREY	73771	73781	ML73541	73711	Sx 73721 Dx 73731	73741	-	-	
CRUX WHITE	73772	73782	ML73542	73712	Sx 73722 Dx 73732	73742	-	-	
GRIS ROYAL	73774	73784	ML73544	73714	Sx 73724 Dx 73734	73744	73764	73754	

INFO TECNICHE

Technical information . Informations techniques . Technische informationen . Información técnica . Техническая информация . 技术资料

GRES FINE PORCELLANATO COLORATO IN MASSA

- THROUGHT-BODY COLOURED FINE PORCELAIN.
- GRÈS CÉRAMÉ FIN COLORÉ DANS LA MASSE.
- DURCHGEFÄRBTES FEINSTEINZEUG.
- GRES FINO PORCELÁNICO COLOREADO EN MASA.
- ОКРАШЕННЫЙ ПО ВСЕ ТОЛЩИНЕ КЕРАМОГРАНИТ.
- 通体

Hi-Res TECHNOLOGY

TECNOLOGIA AD ALTA RISOLUZIONE
High-definition technology

BUTECH CERAMICA PORCELLANATA

- BICOTTURA IN PASTA BIANCA MONOCALIBRO
- MONOCALIBER WHITE BODY DOUBLE-FIRING
- BICUISSON EN PÂTE BLANCHE D'UN SEUL CALIBRE
- WEISSSCHERBIGE EINZELKALIBER ZWEIBRANDVERFAHREN
- BICOCCIÓN EN PASTA BLANCA MONO-CALIBRE
- ПЛИТКА ДВОЙНОГО ОБЖИГА НА БЕЛОЙ МАССЕ ОДНОГО КАЛИБРА
- 单口径白色坯体二次烧成



RIVESTIMENTO
Wall tile
Revêtement mural
Wand
Revestimiento pared
Облицовка
墙砖



PAVIMENTO
Floor tile
Sol
Boden
Piso
Полы
地砖



RETTIFICATO
Rectified
Rectifié
Rektifiziert
Rectificado
Ректифицированный
磨边砖



POSA CONSIGLIATA CON FUGA
Suggested laying with joint
Pose conseillée avec joint
Verlegung mit Fuge empfohlen
Colocación aconsejada con junta
Рекомендуется укладка со швом
建议的留缝施工



STRUTTURA A RILIEVO
Relief structure
Structure en relief
Reliefstruktur
Estructura en relieve
Рельефная структура
浮凸结构



SPESSORE MAGGIORATO
Increased thickness
Épaisseur majorée
Erhöhte Stärke
Espesor aumentado
Увеличенная толщина
加厚厚度



METALLO
Metal
Métal
Métall
Metal
Металл
金属



RESISTENTE AL GELO
Frost resistant
Résistant au gel
Frostbeständig
Resistencia al hielo
Морозоустойчивый
防冻



RESISTENTE AGLI SBALZI TERMICI
Thermal shock resistant
Résistant aux écarts thermiques
Temperaturwechselbeständigkeit
Resistencia a las variaciones térmicas
Устойчивый к термоударам
耐热度波动



SUPERFICIE NATURALE
Natural surface
Surface naturelle
Natürliche Oberfläche
Superficie natural
Натуральная поверхность
然表面



MISCELARE I PEZZI DURANTE LA POSA, PRELEVANDOLI DA SCATOLE DIFFERENTI
Tiles have to be taken from different boxes and mixed while laying
Mélanger les carreaux au moment de la pose, en les prélevant de différentes boites
Die Fliesen aus mehreren Kartons entnehmen und vor der Verlegung mischen
Mezclar las baldosas ceramicas sacandolas desde distintas cajas antes que colocarlas
При укладке взять плитки из разных коробок для получения равномерного результата
用不同箱子的砖板铺放在地面就得到混合的效果



V1



V2



V3



V4

STONALIZZAZIONE
Colour shade variation
Différence de tonalité
Farbenunstimmigkeit
Matización
Изменение тона
颜色渐变



RESISTENZA ALLO SCIVOLAMENTO
Slip resistance
Résistance au glissement
Rutschfestigkeit
Resistencia a resbalar
Устойчивость к скольжению
防滑

PESI E IMBALLI

Package weights . Poids emballages . Gewicht – verpackung . Pesos embalajes . Вес, упаковка . 包装重量

Formato	PZ / SCAT	MQ / SCAT	KG / SCAT	SCAT / PAL	MQ / PAL	KG / PAL
Pavimento 100x100	2	2,000	39,16	24	48,00	939,84
Pavimento 50x100	4	2,000	39,15	24	48,00	939,60
Pavimento 80x80	2	1,280	24,50	40	51,20	980,00
Pavimento 40x80	4	1,280	25,20	27	34,56	690,61
Pavimento 60x120	2	1,440	29,52	24	34,56	708,48
Pavimento 60x60	3	1,080	21,25	40	43,20	850,00
Pavimento 30x60	7	1,260	22,46	40	50,40	898,40
Pavimento 20mm 80x80	1	0,640	28,75	45	28,80	1293,75
Rivestimento strutturato 50x150	3	2,250	35,00	18	40,50	630,00
Mosaico T36 33,3x33,3	4	0,443	9,60	-	-	-
Mosaico spaccato 32,5x32,5	4	0,422	9,00	-	-	-
Battiscopa 8x100	4	4,00 ml	7,36	-	-	-
Elemento ad "L" 80x32x4	2	1,60 ml	14,00	-	-	-
Gradone 120x32x4	2	2,40 ml	22,85	-	-	-
Angolare gradone 120x32x4	1	-	11,42	-	-	-
Elemento ad "L" 80x32x4 - mm 20	1	-	14,00	-	-	-
Gradone torelo 80x32x4 - mm 20	1	-	14,00	-	-	-
Profilo ferro 1x100 / 2x100	4	4,00 ml	-	-	-	-